

7152

RA29529-544

MATERIAL SAFETY DATA SHEET

SECTION 1 – IDENTIFICATION AND COMPANY DETAILS

PRODUCT NAME: CHROMACRYL FLUID ACRYLIC
(All information the same for all colors and sizes.)

COMPANY NAME: CHROMA, INC.
ADDRESS: 205 Bucky Drive
Lititz, PA 17543 U.S.A.

PHONE: 800-257-8278
FAX: 717-626-9292
WEBSITE: www.chromaonline.com

DATE PREPARED: MARCH 26, 2014

EMERGENCY: If swallowed, call your poison control center at 1-800-222-1222.
Seek medical assistance for further treatment, observation and support, if necessary.

SECTION 2 – COMPOSITION / INFORMATION ON INGREDIENTS

| Chemical Name | CAS No. | Concentration |
|--------------------------|-----------|---------------|
| WATER | 7732-18-5 | PROPRIETARY |
| VARIOUS COLORED PIGMENTS | | PROPRIETARY |
| ACRYLIC EMULSION | | PROPRIETARY |
| ACRYLIC THICKENERS | | PROPRIETARY |
| PRESERVATIVE | | PROPRIETARY |

SECTION 3 – HAZARDS IDENTIFICATION

Hazardous Ingredients: NONE

Primary Routes of Entry: NOT HAZARDOUS
Carcinogen Listing: NOT LISTED
Health Hazards Acute: NONE
Health Hazards Chronic: NONE
Signs & Symptoms of Exposure: NONE
Medical Conditions Generally Aggravated by Exposure: NONE

Health Effects:

Acute: Eye DIRECT CONTACT MAY CAUSE SLIGHT IRRITATION

Skin PROLONGED OR REPEATED CONTACT MAY CAUSE SLIGHT SKIN IRRITATION

Inhaled NONE ALLOCATED

Chronic NONE ALLOCATED

SECTION 4 – FIRST AID MEASURES

- Skin WASH SKIN WITH SOAP AND WATER OR USE A PRODUCT SPECIFICALLY FORMULATED FOR WATER BASED PAINT REMOVAL. IF IRRITATION PERSISTS SEEK MEDICAL HELP.

- Eye CHECK FOR AND REMOVE ANY CONTACT LENSES. FLUSH EYES UP TO 15 MINUTES WITH WATER, HOLDING EYE LIDS OPEN. IF IRRITATION PERSISTS SEEK MEDICAL HELP.

- Inhaled IF PERSON IS SHOWING ADVERSE EFFECTS, REMOVE PERSON TO FRESH AIR. SEEK MEDICAL HELP IF SYMPTOMS OCCUR.

- Ingestion TREAT SYMPTOMATICALLY. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. SEEK MEDICAL HELP IF SYMPTOMS OCCUR. IF SWALLOWED, CALL YOUR POISON CONTROL CENTER AT 1-800-222-1222.

SEEK MEDICAL ASSISTANCE FOR FURTHER TREATMENT, OBSERVATION AND SUPPORT, IF NECESSARY.

Advice to Doctor:

THIS PRODUCT CONFORMS TO ASTM D4236, AND IS CERTIFIED NON-TOXIC BY A TOXICOLOGIST IN ASSOCIATION WITH THE ART & CRAFT MATERIALS INSTITUTE, HANSON, MA 02341 USA.

SECTION 5 – FIRE FIGHTING MEASURES

- Fire / Explosion Hazard: NONE
- Flash Point (Method): N/A
- Auto-Ignition Temperature: N/A
- Flammability Limits In Air (% by Volume): N/A
- LOWER EXPLOSIVE LIMIT (LEL): UNKNOWN
- UPPER EXPLOSIVE LIMIT (UEL): UNKNOWN
- Extinguisher Media: N/A
- Special Fire Fighting Procedures: N/A
- Unusual Fire & Explosion Hazards: N/A

Extinguishing Media:

THIS PRODUCT IS NOT FLAMMABLE. USE FIRE-EXTINGUISHING MEDIA APPROPRIATE FOR SURROUNDING MATERIALS.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Leak & Spill Procedures:

TAKE CARE FLOOR SURFACE WILL BE SLIPPERY AT SITE OF SPILLAGE.

FOR MINOR SPILLS, MOP-UP WITH RAGS AND DISPOSE OF.

FOR LARGER QUANTITIES, CONTAIN ANY SPILLS WITH INERT MATERIALS (SAND, SAWDUST, ETC.) AND TRANSFER TO CONTAINERS FOR DISPOSAL.

DO NOT CONTAMINATE WATER SOURCES OR SEWER.

SECTION 7 – HANDLING AND STORAGE

Handling Procedures & Equipment:

AVOID SKIN AND EYE CONTACT.

WASH HANDS AFTER USE.

Storage Requirements:

STORE AT ROOM TEMPERATURE.

KEEP FROM FREEZING.

RECOMMENDED STORAGE CONDITIONS ARE BETWEEN 34° F AND 122 °F (1° C AND 50 °C).

SECTION 8 – EXPOSURE CONTROL / PERSONAL PROTECTION

Protective Equipment:

| | |
|---|--|
| Respiratory Protection (Specific Type): | NONE NEEDED UNDER NORMAL CONDITIONS OF USE |
| Protective Gloves: | NOT REQUIRED |
| Eye Protection: | NOT REQUIRED |
| Other Protective Equipment: | NOT REQUIRED |
| Hygienic Work Practices: | AS WITH ANY WATER BASED PRODUCT |

Ventilation To Be Used:

| | |
|-----------------------|-----|
| Local Exhaust: | N/A |
| Mechanical (General): | N/A |
| Special: | N/A |
| Other (Specify): | N/A |

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

Boiling Point: 215°-275°F
Vapor Pressure: NOT KNOWN
Specific Vapor Density (AIR=1): LIGHTER THAN AIR
Solubility in Water: COMPLETELY SOLUBLE

Specific Gravity (H2O=1): NOT KNOWN
Melting Point: NOT KNOWN
Evaporation Rate: SLOWER THAN ETHER
Reactivity in Water: NOT KNOWN

Appearance & Odor: LIQUID ACRYLIC PAINTS IN ASSORTED COLORS. MAY HAVE SLIGHT AMMONIA SMELL.

SECTION 10 – STABILITY AND REACTIVITY

| | |
|---------------------------------------|--------|
| Stability: | STABLE |
| Conditions To Avoid: | N/A |
| Incompatibility (Materials to Avoid): | NONE |
| Hazardous Decomposition Products: | NONE |
| Hazardous Polymerization Products: | NONE |
| Conditions To Avoid: | N/A |

SECTION 11 – TOXICOLOGICAL INFORMATION

The toxicological information for the components is: NON-TOXIC
THIS PRODUCT CONFORMS TO ASTM D4236, AND IS CERTIFIED NON-TOXIC BY A TOXICOLOGIST IN ASSOCIATION WITH THE ART & CRAFT MATERIALS INSTITUTE, HANSON, MA 02341 USA.

SECTION 12 – ECOLOGICAL INFORMATION

NOT REGARDED AS DANGEROUS FOR THE ENVIRONMENT.

SECTION 13 – DISPOSAL CONSIDERATIONS

Waste Disposal Methods:
DISPOSE OF IN ACCORDANCE WITH LOCAL AND NATIONAL REGULATIONS FOR INERT NON-HAZARDOUS WASTE MATERIAL.

SECTION 14 – TRANSPORT INFORMATION

NON-HAZARDOUS FOR RAIL, ROAD, SEA AND AIR TRANSPORT.

SECTION 15 – REGULATORY INFORMATION

NONE

SECTION 16 – OTHER INFORMATION

THIS PRODUCT DOES NOT CONTAIN EGG, DAIRY, WHEAT, GLUTEN, SOY OR PEANUT PRODUCTS, BY-PRODUCTS OR DERIVATIVES.

THIS PRODUCT DOES NOT CONTAIN LATEX MATERIALS OR ANIMAL DERIVED INGREDIENTS.